

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20010029524".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:00
L2	0	((electronic near3 protocol) and (default near3 order) and (default near3 list)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:11
L10	1	10/780258.app.	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L11	43143	455/412.1-414.4,466.ccls. 370/349,395.72,363,428,429,471.ccls. 709/204- 207,209,211,219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L12	261750	email or e-mail or (electronic adj mail)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L13	352133	header	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L14	2812691	filter sort\$4	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L15	1962874	preference rule profile	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L16	1541	L13 same L14 same L15	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L17	163	L11 and L16	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L18	121	L12 and L17	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L19	19	L18 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L20	3399809	filter\$4 sort\$4	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L21	1954	L13 same L20 same L15	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L22	231	L11 and L21	US_PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L23	167	L12 and L22	US_PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L24	24	L23 and (@ad<="20040217" and @rlad<="20040217")	US_PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L25	5	L24 not L19	US_PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L26	2	"5958006".pn. and (filter\$4 profile preference e \$mail header summary)	US_PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L27	153	e\$mail same header same order same (filter\$4 sort\$4)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L28	0	WO-199965256-\$.did.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L29	2	WO-9965256-\$.did.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L30	43143	455/412.1-414.4,466.ccls. 370/349,395,72,363,428,429,471.ccls. 709/204- 207,209,211,219.ccls.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L31	261750	email or e-mail or (electronic adj mail)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L32	352133	header	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L33	1962874	preference rule profile	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L34	3399809	filter\$4 sort\$4	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L35	1954	L32 same L34 same L33	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L36	231	L30 and L35	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L37	167	L31 and L36	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L38	24	L37 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L39	84531	ISP or (internet adj2 provider)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L40	222857	(gateway IWF proxy)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L41	34661	(domain near2 name)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L42	0	(server proxy gateway IWF) with (sav\$4 stor\$4) with (domain\$name) with (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L43	0	(server proxy gateway IWF) near5 (sav\$4 stor\$4) with (domain\$name) near5 (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L44	0	(server proxy gateway IWF) near5 (sav\$4 stor\$4) near5 (domain\$name) near5 (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L45	5520167	(server proxy gateway IWF) same (sav\$4 stor\$4) same (domain\$name (internet near3 address)) name (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L46	1167	(server proxy gateway IWF) same (sav\$4 stor\$4) same (domain\$name (internet near3 address)) same (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L47	122	L30 and L46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L48	21	L47 and (@ad<="20040217" and @rlad<="20040217")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L49	168	L46 and (@ad<="20040217" and @rlad<="20040217")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L50	147	L49 not L48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L51	140	(profile or preference) same (proxy gateway IWF server) same (POP3 IMAP) same (address hostname domain\$name name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L52	43143	455/412.1-414.4,466.ccls. 370/349,395.72,363,428,429,471.ccls. 709/204- 207,209,211,219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L53	65	L51 and L52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L54	17	L53 and (@ad<="20040217" and @rld<="20040217")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L55	477	(profile or preference) same (proxy gateway WF server) same (address hostname domain \$name name) same ((internet adj service adj provider) ISP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L56	67	L52 and L55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L57	1	L54 and L56	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L58	10	L56 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L59	11	(profile or preference) same (proxy gateway WF) same (address hostname domain\$name name) same ((internet adj service adj provider) ISP) same (pop\$1 IMAP\$1)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L60	66	((domain\$name hostname) with (ISP (internet adj2 provider))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L61	1122	((domain adj name) domain\$name hostname) with (ISP (internet adj2 provider))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L62	10940	(profile or preference) same (proxy gateway IWF)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L63	5	L61 same L62	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L64	15	L61 same3 L62	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L65	73	L61 and L62	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L66	256733	e\$mail or (electronic adj mail)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L67	52	L65 and L66	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L68	9	L67 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L69	1	"7240095".pn. and (user adj profile) and (secure adj user adj profile)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L70	1	"7240095".pn. and (user adj profile) and (secure adj user adj profile) and ISP	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L71	2	"20010029524"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L72	0	10/780258.app. and (cannot)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L73	1	10/780258.app. and (default)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L74	1	download\$5 with (email e-mail mail) with header with (default near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L75	0	download\$5 with (email e-mail mail) with header with (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L76	0	filter\$5 with (email e-mail mail) with header with (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L77	0	filter\$5 with (email e-mail mail) with header same (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L78	2	filter\$5 with header same (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L79	11	sort\$5 with header same (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L80	585	filter\$5 with (email e-mail mail) same header	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L81	72	filter\$5 with (email e-mail mail) same header same (order UID)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L82	2	"20090187920"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L83	0	"200201888689"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L84	2	"20020188689"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L85	2	"20060235945"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L86	1	((default near3 (order\$4 rank\$4 sort\$4)) with (otherwise secondly) with ((domain near3 name) ISP)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L87	1	((default near3 (order\$4 rank\$4 sort\$4)) same (otherwise secondly) with ((domain near3 name) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L88	2	((default near3 (order\$4 rank\$4 sort\$4)) same (otherwise secondly) same ((domain near3 name) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L89	1	((recent\$5 near3 (order\$4 rank\$4 sort\$4)) same (otherwise secondly) same ((domain near3 name) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L90	5	((recent\$5 near3 (order\$4 rank\$4 sort\$4)) same (email e-mail message mail) same ((domain near3 name) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L91	1	"20060235945" and ((connector near3 server) same3 (header))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14

L92	1	"20060235945" and ((mailbox near3 manager) same3 (header))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L93	1	"20060235945" and ((mailbox near3 manager) same3 (connector near3 server))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L94	53	(WAP with request) same (location near3 based near3 service)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
L95	22	(WAP with request) with (location near3 based near3 service)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/15 23:14
S1	1	10/780258.app.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 11:27

S16	31214	455/412.1-414.4,466.ccls. 370/349,395.72,363,428,429,471.ccls. 709/204- 207,209,211,219.ccls.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 12:43
S17	195042	email or e-mail or (electronic adj mail)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:18
S18	292500	header	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:18
S19	2412739	filter sort\$4	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:18
S20	1628881	preference rule profile	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:19

S21	1158	S18 same S19 same S20	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:20
S22	120	S16 and S21	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:20
S24	85	S17 and S22	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:20
S25	19	S24 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:21
S26	2922012	filter\$4 sort\$4	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:44

S27	1466	S18 same S26 same S20	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:44
S28	176	S16 and S27	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:45
S29	121	S17 and S28	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:45
S30	24	S29 and (@ad<="20040217" and @lad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:46
S31	5	S30 not S25	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 15:46

S32	2	"5958006".pn. and (filter\$4 profile preference e \$mail header summary)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 17:19
S33	107	e\$mail same header same order same (filter\$4 sort\$4)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/06 18:57
S34	0	WO-199965256-\$.did.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 14:44
S35	2	WO-9965256-\$.did.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 14:44
S36	31259	455/412.1-414.4,466.ccls. 370/349,395.72,363,428,429,471.ccls. 709/204- 207,209,211,219.ccls.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 10:34

S37	195298	email or e-mail or (electronic adj mail)	US; PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 10:34
S38	292798	header	US; PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 10:34
S39	1630568	preference rule profile	US; PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 10:34
S40	2925710	filter\$4 sort\$4	US; PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 10:34
S41	1469	S38 same S40 same S39	US; PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 10:34

S42	176	S36 and S41	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 10:34
S43	121	S37 and S42	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 10:34
S44	24	S43 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 10:34
S45	65653	ISP or (internet adj2 provider)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:06
S46	162972	(gateway IWF proxy)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:07

S47	25385	(domain near2 name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:07
S48	6909565	isav\$4 stor\$4 memor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:07
S49	286	S46 with S48 with S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:08
S50	4	S45 same S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:08
S51	139	S45 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:09

S52	83	S37 and S51	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:09
S53	4	S36 and S52	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:10
S54	0	(server proxy gateway IWF) with (sav\$4 stor\$4) with (domain\$name) with (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:39
S55	0	(server proxy gateway IWF) near5 (sav\$4 stor \$4) with (domain\$name) near5 (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:40
S56	0	(server proxy gateway IWF) near5 (sav\$4 stor \$4) near5 (domain\$name) near5 (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:40

S57	5184746	(server proxy gateway IWF) same (sav\$4 stor \$4) same (domain\$name (internet near3 address)) name (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:41
S58	897	(server proxy gateway IWF) same (sav\$4 stor \$4) same (domain\$name (internet near3 address)) same (host "mail server" (post adj office) POP\$1 IMAP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:41
S59	87	S36 and S58	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:42
S60	18	S59 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 11:42
S61	156	S58 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 12:01

S62	138	S61 not S60	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 12:02
S63	109	(profile or preference) same (proxy gateway IWF server) same (POP3 IMAP) same (address hostname domain\$name name)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 18:38
S64	31259	455/412.1-414.4,466.ccls. 370/349,395.72,363,428,429,471.ccls. 709/204- 207,209,211,219.ccls.	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 18:38
S65	51	S63 and S64	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 18:38
S66	16	S65 and (@ad<="20040217" and @/lad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 18:39

S67	358	(profile or preference) same (proxy gateway IWF server) same (address hostname domain \$name name) same ((internet adj service adj provider) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:04
S68	53	S64 and S67	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:04
S69	1	S66 and S68	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:04
S70	10	S68 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:08
S71	9	(profile or preference) same (proxy gateway IWF) same (address hostname domain\$name name) same ((internet adj service adj provider) ISP) same (pop\$1 IMAP\$1)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:18

S72	42	((domain\$name hostname) with (ISP (internet adj2 provider)))	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:27
S73	845	((domain adj name) domain\$name hostname) with (ISP (internet adj2 provider))	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:27
S74	7777	(profile or preference) same (proxy gateway IWF)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:28
S75	3	S73 same S74	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:28
S76	13	S73 same3 S74	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:28

S77	56	S73 and S74	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:28
S78	191943	e\$mail or (electronic adj mail)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:29
S79	41	S77 and S78	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:29
S80	8	S79 and (@ad<="20040217" and @rlad<="20040217")	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:30
S81	1	"7240095".pn. and (user adj profile) and (secure adj user adj profile)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:37

S82	1	"7240095".pn. and (user adj profile) and (secure adj user adj profile) and ISP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/11 19:37
S83	2	"20010029524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/09 15:51
S84	0	10/780258.app. and (cannot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 12:35
S85	1	10/780258.app. and (default)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 12:35
S86	1	download\$5 with (email e-mail mail) with header with (default near5 (order list))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 13:15

S87	0	download\$5 with (email e-mail mail) with header with (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 13:15
S88	0	filter\$5 with (email e-mail mail) with header with (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 13:15
S89	0	filter\$5 with (email e-mail mail) with header same (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 13:16
S90	2	filter\$5 with header same (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 13:16
S91	10	sort\$5 with header same (primary near5 (order list))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 13:16

S92	552	filter\$5 with (email e-mail mail) same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 13:18
S93	69	filter\$5 with (email e-mail mail) same header same (order UID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/12 13:18
S94	2	"20090187920"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/13 18:05
S95	0	"200201888689"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/13 18:11
S96	2	"200201888689"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/13 18:11

S97	2	"20060235945"	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/13 18:13
S98	0	((default near3 (order\$4 rank\$4 sort\$4)) with (otherwise secondly) with ((domain near3 name) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/13 18:17
S99	0	((default near3 (order\$4 rank\$4 sort\$4)) same (otherwise secondly) with ((domain near3 name) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/13 18:17
S100	1	((default near3 (order\$4 rank\$4 sort\$4)) same (otherwise secondly) same ((domain near3 name) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/13 18:17
S101	1	((recent\$5 near3 (order\$4 rank\$4 sort\$4)) same (otherwise secondly) same ((domain near3 name) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/13 18:19

S102	5	(recent\$5 near3 (order\$4 rank\$4 sort\$4)) same (email e-mail message mail) same ((domain near3 name) ISP)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/13 18:19
S103	1	"20060235945" and ((connector near3 server) same3 (header))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:43
S104	1	"20060235945" and ((mailbox near3 manager) same3 (header))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:43
S105	1	"20060235945" and ((mailbox near3 manager) same3 (connector near3 server))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:44
S106	53	(WAP with request) same (location near3 based near3 service)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/10 12:03

S107	22	(WAP with request) with (location near3 based near3 service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/01/10 12:03
------	----	--	---	----	----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	((electronic near3 protocol) and (default near3 order) and (default near3 list)).dm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/01/15 23:12
L4	2	((protocol) and (default near3 order) and (default near3 list)).dm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/01/15 23:12
L5	46	(ROY with SHAI BAL).in.	US-PGPUB; USPAT; UPAD	OR	ON	2011/01/15 23:13
L6	0	3 and 5	US-PGPUB; USPAT; UPAD	OR	ON	2011/01/15 23:13
L7	0	4 and 5	US-PGPUB; USPAT; UPAD	OR	ON	2011/01/15 23:13
L8	23	((protocol) and (default near3 order)).dm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/01/15 23:13
L9	1	5 and 8	US-PGPUB; USPAT; UPAD	OR	ON	2011/01/15 23:14

L96	41439	455/412.1-414.4,466.ccls. 370/349,395.72,363,428,429,471.ccls. 709/204- 207,209,211,219.ccls.	US-PGPUB; USPAT; UPAD	OR	ON	2011/01/15 23:19
L97	22	5 and 96	US-PGPUB; USPAT; UPAD	OR	ON	2011/01/15 23:19

1/15/2011 11:45:36 PM

C:\Documents and Settings\mkhan\My Documents\EAST\Workspaces\10780258\10780258.wsp